

ActualtestsIT

ActualtestsIT

HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Try **PDF Demo** before you buy

Online Test Engine: Online Tool, Convenient, easy to study. Instant Online Access. Supports All Web Browsers.

PDF format: Easy to read and print learning materials, our products are available in PDF file format.

Desktop Test Engine: Installable Software Application. Simulates Real Exam Environment. Practice Offline Anytime.

Select a vendor...

Select an test...

Your email address


Free Download Demo

Instant Download ⚡

After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

365 Days Free Updates ❤️

Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee 🧩

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.

Security & Privacy 🛡️

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

<http://www.actualtestsit.com/>

Topping Certification Exam Prep, Test Dumps Materials - ActualTestsIT

Exam : **AD0-E125**

Title : Adobe Experience Manager
Forms Developer Expert

Vendor : Adobe

Version : DEMO

NO.1 Which AEM Forms features enhance Interactive Communication?

(Choose three)

- A. Integration with Forms Data Model (FDM)
- B. REST API support for external data sources
- C. Use of AEM Page Templates for form generation
- D. Automated content personalization
- E. Integration with JCR Query Manager

Answer: A,B,D

NO.2 How is an AEM Forms application (LCA) migrated from a Development environment to a QA environment?

- A. Export the LCA file from DEV adminUI console and Import the same LCA to QA using adminUI console.
- B. Export the deployed LCA from DEV adminUI console and Deploy it to QA using adminUI console.
- C. Export the LCA file from DEV using AEM Workbench and Import the LCA to QA using adminUI console.
- D. Export the LCA file from DEV using AEM Workbench and Import the same LCA to QA using Workbench.

Answer: C

NO.3 A Forms Developer needs to populate all values of all textboxes included in a panel. What method is available in the Field API to fulfill this requirement?

- A. setFocus
- B. getElementProperty
- C. visit
- D. resolveNode

Answer: C

NO.4 Which AEM Forms customization options require JavaScript?

(Choose two)

- A. Implementing dynamic form field behaviors
- B. Customizing OSGi configurations
- C. Configuring form submission endpoints
- D. Enabling conditional logic for form fields

Answer: A,D

NO.5 Which AEM Forms service is used to merge data into a PDF template to generate a dynamic document?

- A. Assembler Service
- B. Forms Service
- C. Output Service
- D. Workflow Service

Answer: C

NO.6 What is the primary purpose of Interactive Communication in AEM Forms?

- A. To create adaptive forms for data collection
- B. To generate personalized, on-demand customer communication
- C. To store form submissions in the JCR repository
- D. To configure AEM workflow processes

Answer: B

NO.7 A developer needs to customize an Adaptive Form field dynamically. Which approach should they use?

- A. Use GuideBridge API methods
- B. Modify the JCR repository manually
- C. Enable AEM Workflow Models
- D. Adjust dispatcher caching rules

Answer: A

NO.8 Which Interactive Communication delivery modes are available?

(Choose two)

- A. Online interactive viewing
- B. Local PDF storage only
- C. Real-time email delivery
- D. Dispatcher-only distribution

Answer: A,C

NO.9 How can you ensure form submissions are securely stored and processed in AEM?

- A. Encrypt data before submission and use secured storage APIs
- B. Store all submissions in the /content/forms JCR node
- C. Use JavaScript local storage to save form data
- D. Disable validation rules to prevent submission errors

Answer: A

NO.10 A Forms Developer creates an Adaptive form with form fragments that are set with lazy loading. When the Developer tries to load the page, the debug console contains an error: Scope of variable used wasn't declared. The page load takes more than 3 minutes.

Which two steps should the Forms Developer take to address the reported JavaScript and performance issue?

(Choose two.)

- A. Remove lazy loading fragments from the responsive grid layout
- B. Move lazy loading fragments into a responsive grid layout
- C. Initialize the variables in parent form and use a responsive grid with custom clientlib
- D. Update OSGi config com.adobe.granite.ui.clientlibs.impl.HtmlLibraryManagerImpl with clientlibs minify settings
- E. Revisit initialize and calculate scripts on the lazy loaded fragment to make it idempotent

Answer: A,E

NO.11 A Workbench Developer uses the following SQL statement for a database query using AEM JDBC Service on Workbench: SELECT column1, column2 FROM table1 This statement produces the following result in an XML document variable:

```
<root>
<element>
<column1>row 1 column1 value</column1>
<column2>row 1 column2 value</column2>
</element>
<column1>row2 column1 value</column1>
<column2>row2 column2 value</column2>
<column1>row3 column1 value</column1>
<column2>row3 column2 value</column2>
</root>
```

How can a Developer change the output to adhere to the XML structure used in the workflow process?

- A.** Specify values for Root & Repeating Element Name, so the name of the root element of the XML is not root and repeating element is element.
- B.** "Execute SQL statements operation" is used instead of using "Query for Multiple Rows as XML operation".
- C.** "Execute for Multiple Rows as XML operation" with Root and Element mappings specified.
- D.** Modify the SQL query to include XML attributes directly

Answer: A

NO.12 A Forms Developer recently joined ABC Corp and started analyzing the code snippet below:

```
window.on("bridgeInitializeStart", function (evnt) {
var gb = evnt.detail.guideBridge;
gb.registerConfig("postExternalMessageConfig", {
"postExternalHandler" : function(data) {
// assume we have a child window with an id 'childWindowId'
var childWindow = document.getElementById("#childWindowId").contentWindow; var tmpEvent =
document.createEvent("CustomEvent"); tmpEvent.initCustomEvent(data.name, true, true,
data.data); childWindow.dispatchEvent(tmpEvent);
});
```

What is the outcome of the code snippet shown?

- A.** It will provide the GuideBridge instance to a content window from a child window.
- B.** It will provide the instance to set the event handler on custom event.
- C.** It will provide the GuideBridge instance to a child window from the parent window.
- D.** It will bind the GuideBridge instance to a global window object

Answer: A

NO.13 An AEM Workbench Developer needs to fetch a collection of records for employees whose annual income was more than \$40,000 during the last year. The Developer is given a select SQL statement query from the DB Admin to fetch the record. This query works correctly when it is fired

on an SQL client.

Which JDBC operation/activity from JDBC services Workbench should the Developer use to get the query result?

- A.** Query for Multiple Rows as XML operation
- B.** Execute SQL Statement operation
- C.** Call Stored Procedure operation
- D.** Query Single Row operation

Answer: A